

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.4	11/21/2023	50000395	Date of first issue: 05/26/2016

SECTION 1. IDENTIFICATION

Product identifier

Product name CAPTURE® LFR® INSECTICIDE

Other means of identification

Product code 50000395

Recommended use of the chemical and restrictions on use

Recommended use Can be used as insecticide only.

Restrictions on use Use as recommended by the label.

Details of the supplier of the safety data sheet

Manufacturer FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
(215) 299-6000
SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 3

Acute toxicity (Inhalation) : Category 4

Specific target organ toxicity : Category 1
- single exposure

Specific target organ toxicity : Category 1
- repeated exposure

GHS label elements




SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version 1.4 Revision Date: 11/21/2023 SDS Number: 50000395 Date of last issue: -
Date of first issue: 05/26/2016

- Hazard pictograms :   
- Signal Word : Danger
- Hazard Statements : H301 Toxic if swallowed.
H332 Harmful if inhaled.
H370 Causes damage to organs.
H372 Causes damage to organs through prolonged or repeated exposure.
- Precautionary Statements : **Prevention:**
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Response:**
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P308 + P311 IF exposed or concerned: Call a doctor.
P312 Call a POISON CENTER or doctor/ physician if you feel unwell.
P330 Rinse mouth.
- Storage:**
P405 Store locked up.
- Disposal:**
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards
None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
Bifenthrin	82657-04-3	17.15
propane-1,2-diol	57-55-6	>= 5 - < 10

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version 1.4	Revision Date: 11/21/2023	SDS Number: 50000395	Date of last issue: - Date of first issue: 05/26/2016
----------------	------------------------------	-------------------------	--

- Consult a physician.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Toxic if swallowed.
Harmful if inhaled.
Causes damage to organs.
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.4	11/21/2023	50000395	Date of first issue: 05/26/2016

- | | |
|--|---|
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Fluorinated compounds
Chlorinated compounds
Hydrogen chloride
Hydrogen fluoride |
| Further information | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : Firefighters should wear protective clothing and self-contained breathing apparatus. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13. |
| Environmental precautions | : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

- | | |
|---|---|
| Advice on protection against fire and explosion | : Normal measures for preventive fire protection. |
| Advice on safe handling | : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations. |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version 1.4 Revision Date: 11/21/2023 SDS Number: 50000395 Date of last issue: -
Date of first issue: 05/26/2016

Conditions for safe storage : Prevent unauthorized access.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane-1,2-diol	57-55-6	TWA	10 mg/m ³	US WEEL
Quartz (SiO ₂)	14808-60-7	TWA (Respirable dust)	0.05 mg/m ³	OSHA Z-1
		TWA (respirable)	10 mg/m ³ / %SiO ₂ +2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO ₂ +5	OSHA Z-3
		PEL (respirable)	0.05 mg/m ³	OSHA CARC
		TWA (respirable dust fraction)	0.1 mg/m ³	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m ³ (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m ³ (Silica)	NIOSH REL

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version 1.4	Revision Date: 11/21/2023	SDS Number: 50000395	Date of last issue: - Date of first issue: 05/26/2016
----------------	------------------------------	-------------------------	--

- problems.
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Ensure that eye flushing systems and safety showers are located close to the working place.
Wear suitable protective equipment.
- Hygiene measures : Avoid contact with skin, eyes and clothing.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and immediately after handling the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state : liquid
- Form : viscous liquid
- Color : off-white to white
- Odor : Latex smell
- Odor Threshold : No data available
- pH : 6.1
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : No data available
- Evaporation rate : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version 1.4	Revision Date: 11/21/2023	SDS Number: 50000395	Date of last issue: - Date of first issue: 05/26/2016
----------------	------------------------------	-------------------------	--

Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.050 g/cm ³ 8.75 lb/gal
Bulk density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid extreme temperatures. Heat, flames and sparks.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.4	11/21/2023	50000395	Date of first issue: 05/26/2016

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Toxic if swallowed.

Harmful if inhaled.

Product:

Acute oral toxicity	: LD50 (Rat): 175 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 2.28 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg

Components:

Bifenthrin:

Acute oral toxicity	: LD50 (Rat, male and female): 50.2 - 58.8 mg/kg Symptoms: Convulsions, Tremors
Acute inhalation toxicity	: LC50 (Rat, female): 0.6 - 1.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Symptoms: Tremors, Convulsions LC50 (Rat, male): 1.10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Symptoms: Tremors, Fatality
Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Remarks: no mortality

propane-1,2-diol:

Acute oral toxicity	: LD50 (Rat, male and female): 22,000 mg/kg
Acute inhalation toxicity	: LC0 (Rabbit): 31.7 mg/l Exposure time: 2 h Test atmosphere: vapor Remarks: no mortality
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.4	11/21/2023	50000395	Date of first issue: 05/26/2016

Product:

Species	:	Rabbit
Result	:	slight irritation

Components:

Bifenthrin:

Species	:	Rabbit
Result	:	slight or no skin irritation.
GLP	:	yes

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	slight or no skin irritation.
GLP	:	yes

propane-1,2-diol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Result	:	slight irritation

Components:

Bifenthrin:

Species	:	Rabbit
Result	:	Slight or no eye irritation
Method	:	OECD Test Guideline 405
GLP	:	yes

propane-1,2-diol:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.4	11/21/2023	50000395	Date of first issue: 05/26/2016

Product:

Result : Does not cause skin sensitization.

Components:

Bifenthrin:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : May cause sensitization by skin contact.
GLP : yes

propane-1,2-diol:

Test Type : Maximization Test
Species : Guinea pig
Result : negative

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Bifenthrin:

Genotoxicity in vitro : Test Type: gene mutation test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: Mouse lymphoma assay
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Sex-linked Recessive Lethal Test
Species: Drosophila melanogaster (vinegar fly)
Result: negative

Test Type: unscheduled DNA synthesis assay
Species: Rat
Method: OECD Test Guideline 486
Result: negative

propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.4	11/21/2023	50000395	Date of first issue: 05/26/2016

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Components:

Bifenthrin:

Species : Rat, female
Application Route : Oral
Exposure time : 2 Years
NOAEL : 3 mg/kg bw/day
Result : negative

Species : Mouse, male
Application Route : Oral
Exposure time : 18 month(s)
NOAEL : 7.6 mg/kg bw/day
Result : positive
Symptoms : malignant tumors

propane-1,2-diol:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

IARC	Group 1: Carcinogenic to humans Quartz (SiO ₂) (Silica dust, crystalline)	14808-60-7
-------------	---	------------

OSHA	OSHA specifically regulated carcinogen Quartz (SiO ₂) (crystalline silica)	14808-60-7
-------------	--	------------

NTP	Known to be human carcinogen Quartz (SiO ₂) (Silica, Crystalline (Respirable Size))	14808-60-7
------------	---	------------

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Bifenthrin:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.4	11/21/2023	50000395	Date of first issue: 05/26/2016

Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
General Toxicity Parent: NOAEL: 3 mg/kg bw/day
General Toxicity F1: NOAEL: 5 mg/kg bw/day
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 2.7 mg/kg bw/day
Teratogenicity: NOAEL: 2.7 mg/kg bw/day
Symptoms: Maternal effects.
Result: No teratogenic effects.

Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 1 mg/kg bw/day
Teratogenicity: NOAEL: 2 mg/kg bw/day
Result: No teratogenic effects.

Species: Rat
Application Route: Oral
General Toxicity Maternal: LOAEL: 7.2 mg/kg bw/day
Developmental Toxicity: LOAEL: 7.2 mg/kg bw/day
Embryo-fetal toxicity.: NOEL: 9.0 mg/kg bw/day
Method: OECD Test Guideline 426
Result: Animal testing did not show any effects on fertility.,
Some evidence of adverse effects on development, based on
animal experiments.

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Mouse
Application Route: Oral
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: Animal testing did not show any effects on fertility.
Remarks: Based on data from similar materials

STOT-single exposure

Causes damage to organs.

Product:

Assessment : The substance or mixture is classified as specific target organ
toxicant, single exposure, category 1.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.4	11/21/2023	50000395	Date of first issue: 05/26/2016

Components:

Bifenthrin:

Target Organs	:	Central nervous system
Assessment	:	Causes damage to organs.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Product:

Assessment	:	The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.
------------	---	--

Components:

Bifenthrin:

Target Organs	:	Central nervous system
Assessment	:	The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Repeated dose toxicity

Components:

Bifenthrin:

Species	:	Rat, male and female
NOEL	:	100 ppm
Application Route	:	Oral - feed
Exposure time	:	90 d
Remarks	:	No toxicologically significant effects were found.

Species	:	Dog, male and female
NOEL	:	2.5 mg/kg bw/day
Application Route	:	Oral - feed
Exposure time	:	13 w
Symptoms	:	Tremors

propane-1,2-diol:

Species	:	Rat, male and female
NOAEL	:	1,700 mg/kg
Application Route	:	Oral
Exposure time	:	2 Years

Species	:	Rat, male and female
NOAEL	:	1,000 mg/kg
LOAEL	:	160 mg/kg
Application Route	:	Inhalation
Exposure time	:	90 Days

Aspiration toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.4	11/21/2023	50000395	Date of first issue: 05/26/2016

Components:

Bifenthrin:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Bifenthrin:

Toxicity to fish	:	LC50 (Salmo gairdneri): 0.00015 mg/l Exposure time: 96 h Test Type: flow-through test LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00035 mg/l Exposure time: 96 h Test Type: flow-through test LC50 (Oncorhynchus mykiss (rainbow trout)): 0.000256 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes LC50 (Pimephales promelas (fathead minnow)): 0.000234 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 0.00011 mg/l Exposure time: 48 h LC50 (Daphnia): 0.0016 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): 0.822 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.00012 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic)	:	NOEC (Daphnia magna (Water flea)): 0.0013 µg/l Exposure time: 21 d

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.4	11/21/2023	50000395	Date of first issue: 05/26/2016

ic toxicity)

NOEC (*Daphnia magna* (Water flea)): 0.00095 µg/l
Exposure time: 21 d

Toxicity to soil dwelling organisms

: LD50 (*Eisenia fetida* (earthworms)): > 16 mg/kg
Exposure time: 14 d

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Toxicity to terrestrial organisms

: LD50 (*Colinus virginianus* (Bobwhite quail)): 1,800 mg/kg

LD50 (*Anas platyrhynchos* (Mallard duck)): > 2,150 mg/kg

LD50 (*Apis mellifera* (bees)): 0.1 - 0.35 µg/bee
Exposure time: 24 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213

LD50 (*Apis mellifera* (bees)): 0.1 - 0.3 µg/bee
Exposure time: 24 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

propane-1,2-diol:

Toxicity to fish

: LC50 (*Oncorhynchus mykiss* (rainbow trout)): 40,613 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates

: (*Mysidopsis bahia* (opossum shrimp)): 18,800 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants

: EC50 (*Pseudokirchneriella subcapitata* (green algae)): 34,100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

: NOEC: 13,020 mg/l
Exposure time: 7 d

Toxicity to microorganisms

: EC50 (*Pseudomonas putida*): > 20,000 mg/l
Exposure time: 18 h

Persistence and degradability

Components:

Bifenthrin:

Biodegradability : Result: Not readily biodegradable.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.4	11/21/2023	50000395	Date of first issue: 05/26/2016

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 23.6 %
Exposure time: 64 d
Method: OECD Test Guideline 306

Bioaccumulative potential

Components:

Bifenthrin:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1,709
Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.
See section 9 for octanol-water partition coefficient.

Partition coefficient: n-octanol/water : log Pow: 6

propane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -1.07

Mobility in soil

Components:

Bifenthrin:

Distribution among environmental compartments : Koc: 236610 ml/g, log Koc: 5.37
Remarks: immobile

Stability in soil :

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.4	11/21/2023	50000395	Date of first issue: 05/26/2016

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- UN number : UN 3352
Proper shipping name : PYRETHROID PESTICIDE, LIQUID, TOXIC (Bifenthrin)
Class : 6.1
Packing group : III
Labels : 6.1
Environmentally hazardous : yes

IATA-DGR

- UN/ID No. : UN 3352
Proper shipping name : Pyrethroid pesticide, liquid, toxic (Bifenthrin)
Class : 6.1
Packing group : III
Labels : Toxic
Packing instruction (cargo aircraft) : 663
Packing instruction (passenger aircraft) : 655

IMDG-Code

- UN number : UN 3352
Proper shipping name : PYRETHROID PESTICIDE, LIQUID, TOXIC (Bifenthrin)
Class : 6.1
Packing group : III
Labels : 6.1
EmS Code : F-A, S-A
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Road

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.4	11/21/2023	50000395	Date of first issue: 05/26/2016

UN/ID/NA number	:	UN 3352
Proper shipping name	:	Pyrethroid pesticide, liquid toxic (Bifenthrin)
Class	:	6.1
Packing group	:	III
Labels	:	TOXIC
ERG Code	:	151
Marine pollutant	:	yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute toxicity (any route of exposure)
		Carcinogenicity
		Specific target organ toxicity (single or repeated exposure)
		Serious eye damage or eye irritation

SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:
-----------------	---	--

Bifenthrin	82657-04-3	>= 10 - < 20 %
------------	------------	----------------

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

propane-1,2-diol	57-55-6	>= 5 - < 10 %
------------------	---------	---------------

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version 1.4	Revision Date: 11/21/2023	SDS Number: 50000395	Date of last issue: - Date of first issue: 05/26/2016
----------------	------------------------------	-------------------------	--

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

Quartz (SiO ₂)	14808-60-7
----------------------------	------------

Pennsylvania Right To Know

water	7732-18-5
Bifenthrin	82657-04-3
propane-1,2-diol	57-55-6
D-Glucopyranose, oligomeric, C9-11-alkyl glycosides	132778-08-6

Maine Chemicals of High Concern

Quartz (SiO ₂)	14808-60-7
octamethylcyclotetrasiloxane [D4]	556-67-2

Vermont Chemicals of High Concern

octamethylcyclotetrasiloxane [D4]	556-67-2
-----------------------------------	----------

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Prop. 65

WARNING: This product can expose you to chemicals including Quartz (SiO₂), which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Regulated Carcinogens

Quartz (SiO ₂)	14808-60-7
----------------------------	------------

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. 2-METHYLBIPHENYL-3-YLMETHYL (Z)-(1RS,3RS)-3-(2-CHLORO-3,3,3-TRIFLUOROPROP-1-ENYL)-2,2-DIMETHYLCYCLOPROPANECARBOXYLATE
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.4	11/21/2023	50000395	Date of first issue: 05/26/2016

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



0 No health threat, 1 Slightly Hazardous, 2 Hazardous, 3 Extreme danger, 4 Deadly

HMIS® IV:

HEALTH	*	4
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA CARC	: OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	: USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
US WEEL	: USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA CARC / PEL	: Permissible exposure limit (PEL)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.4	11/21/2023	50000395	Date of first issue: 05/26/2016

OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CAPTURE® LFR® INSECTICIDE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.4	11/21/2023	50000395	Date of first issue: 05/26/2016

US / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet