

SAFETY DATA SHEET

Solitaire® Herbicide

SDS #: 6515-A
Revision date: 2020-05-11
Format: NA
Version 1.05



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Solitaire® Herbicide

Other means of identification

Product Code(s) 6515-A

Synonyms

SULFENTRAZONE (FMC 97285):
2',4'-dichloro-5'-(4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl)
methanesulfonanilide (IUPAC name);
N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-
1,2,4-triazol-1-yl]phenyl] methanesulfonamide (CAS name),
, QUINCLORAC: 3,7-dichloroquinoline-8-carboxylic acid; 3,7-dichloro-8-quinolinecarboxylic
acid;

Active Ingredient(s) Sulfentrazone, Quinclorac

Chemical Family Triazolinones

Recommended use of the chemical and restrictions on use

Recommended Use: Herbicide

Restrictions on Use: Use as recommended by the label.

Supplier Address

FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
(215) 299-6000 (General Information)
SDS-Info@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies :
1 800 / 331-3148 (U.S.A. & Canada)
1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Specific target organ toxicity (repeated exposure)	Category 2

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Warning

Hazard Statements

H332 - Harmful if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

Physical Hazards

May form combustible dust concentrations in air



Precautionary Statements - Prevention

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

P314 - Get medical advice/ attention if you feel unwell

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Disposal

P501 - Dispose of contents/container according to label directions

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Toxic to aquatic life.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family Triazolinones.

Chemical name	CAS-No	Weight %
Quinclorac	84087-01-4	56.25
Sulfentrazone	122836-35-5	18.75
Kaolin	1332-58-7	1-5
Toluene	108-88-3	1-5
Sodium N-methyl-N-oleoyltaurine	137-20-2	1-5
Crystalline silica, quartz	14808-60-7	0.1-1

* The exact percentage composition has been withheld as a trade secret.

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	Symptoms of overexposure include convulsions, decreased locomotion, tearing, increased sensitivity to touch, bloody discharge from the nose and incoordination.
Indication of immediate medical attention and special treatment needed, if necessary	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Small Fire	Dry chemical. Carbon dioxide (CO ₂).
Large Fire	Water spray. Foam.
Unsuitable extinguishing media	Avoid heavy hose streams.
Specific Hazards Arising from the Chemical	None known
Hazardous Combustion Products	See Section 10.
Explosion data	
Sensitivity to Mechanical Impact	No information available.
Sensitivity to Static Discharge	No information available.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus and full protective gear. Isolate fire area. Evaluate upwind.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Isolate and post spill area. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.
Other	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
Environmental Precautions	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains. Keep out of waterways.
Methods for Containment	Sweep up and shovel into suitable containers for disposal.
Methods for cleaning up	Clean and neutralize spill area, tools and equipment by washing with water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling	Handle in accordance with good industrial hygiene and safety practice. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.
Storage	Keep away from open flames, hot surfaces and sources of ignition. Keep in a dry, cool and well-ventilated place. Keep out of reach of children and animals. Keep/store only in original container.
Incompatible products	None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Kaolin (1332-58-7)	TWA: 2 mg/m ³	TWA: 15 mg/m ³ TWA: 5 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³	Mexico: TWA 2 mg/m ³
Toluene (108-88-3)	TWA: 20 ppm	TWA: 200 ppm Ceiling: 300 ppm	IDLH: 500 ppm TWA: 100 ppm TWA: 375 mg/m ³ STEL: 150 ppm STEL: 560 mg/m ³	Mexico: TWA 20 ppm
Crystalline silica, quartz (14808-60-7)	TWA: 0.025 mg/m ³	TWA: 50 µg/m ³	IDLH: 50 mg/m ³ TWA: 0.05 mg/m ³	Mexico: TWA 0.025 mg/m ³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Kaolin (1332-58-7)	TWA: 2 mg/m ³	TWA: 5 mg/m ³	TWA: 2 mg/m ³ respirable	TWA: 2 mg/m ³
Toluene (108-88-3)	TWA: 20 ppm	TWA: 50 ppm TWA: 188 mg/m ³ Skin	TWA: 20 ppm	TWA: 50 ppm TWA: 188 mg/m ³ Skin
Crystalline silica, quartz (14808-60-7)	TWA: 0.025 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.10 mg/m ³ respirable	TWA: 0.025 mg/m ³

Appropriate engineering controls

Engineering measures	Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.
-----------------------------	--

Individual protection measures, such as personal protective equipment

Eye/Face Protection	If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.
Skin and Body Protection	Wear long-sleeved shirt, long pants, socks, and shoes.
Hand Protection	Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the outside of gloves with soap and water before reuse. Check regularly for leaks.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
Hygiene measures	Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.
General information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Appearance	Granules
Physical State	Solid
Color	No information available
Odor	No information available
Odor threshold	No information available
pH	4.3
Melting point/freezing point	Not applicable
Boiling Point/Range	No information available
Flash point	Not applicable
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Relative density	32 - 35.4 lb/cu ft
Specific gravity	No information available
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	No information available
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Molecular weight	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity	None under normal use conditions.
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	None known
Incompatible materials	None known.
Hazardous Decomposition Products	Carbon oxides (COx). Nitrogen oxides (NOx). Sulfur oxides. Hydrogen chloride. Hydrogen fluoride.

11. TOXICOLOGICAL INFORMATION**Product Information**

LD50 Oral	3110 mg/kg (rat)
LD50 Dermal	> 5000 mg/kg (rat)
LC50 Inhalation (dust)	> 2.06 mg/L (rat) 4 hr
Serious eye damage/eye irritation	Mildly irritating.
Skin corrosion/irritation	Moderately irritating (rabbit).
Sensitization	Non-sensitizing

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation (vapor)
Kaolin (1332-58-7)	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	
Toluene (108-88-3)	= 2600 mg/kg (Rat)	= 12000 mg/kg (Rabbit)	= 12.5 mg/L (Rat) 4 h
Sodium N-methyl-N-oleoyltaurine (137-20-2)	= 1700 mg/kg (Rat)		

Information on toxicological effects**Symptoms**

Signs of toxicity in laboratory animals given sulfentrazone included clonic convulsions, ataxia, hypersensitivity to touch, chromorhinorrhea, abdominogenital staining, decreased locomotion, lacrimation, nasal discharge, and squinting eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Chronic toxicity**

Chronic exposure to silica dust may increase the risk of developing pneumoconiosis or silicosis, chronic diseases affecting the lungs, characterized by labored breathing, cough, reduction of work capacity, reduction of lung capacity, heart enlargement and failure

Mutagenicity

Quinclorac, Sulfentrazone: Not genotoxic in laboratory studies.

Carcinogenicity

Quinclorac, Sulfentrazone: No evidence of carcinogenicity from animal studies.

Neurological effects

Quinclorac: No neurotoxicity observed in animal studies.

Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high dose levels.

Reproductive toxicity

Quinclorac, Sulfentrazone: No toxicity to reproduction in animal studies.

Developmental toxicity

Quinclorac: Not teratogenic in animal studies.

Sulfentrazone: Fetal weight decreased; delayed skeletal ossification observed at maternally non-toxic doses are reversible effects and a dose-response is established; malformations observed in fetuses at maternally toxic doses and consistent with the mode of action for protoporphyrongen oxidase inhibitors. Developmental toxicity testing and results were generated for sulfentrazone with toluene present as an impurity.

STOT - single exposure

Not classified.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure. See listed target organs below.

Target organ effects**Neurological effects**

Liver, kidney, Hematopoietic system

Quinclorac: No neurotoxicity observed in animal studies.

Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high dose levels.

Aspiration hazard

No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Toluene 108-88-3		Group 3		
Crystalline silica, quartz 14808-60-7	A2	Group 1	Known	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not classifiable as to its carcinogenicity to humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Quinclorac (84087-01-4)				
Active Ingredient(s)	Duration	Species	Value	Units
Quinclorac	72 h EC50	Algae	6.53	mg/L
	48 h EC50	Daphnia	29.8	mg/L
	96 h LC50	Fish	>100	mg/L
	21 d NOEC	Crustacea	50.4	mg/L

Sulfentrazone (122836-35-5)				
Active Ingredient(s)	Duration	Species	Value	Units
Sulfentrazone	72 h EC50	Algae	32.8	mg/L
	48 h EC50	Crustacea	60.4	mg/L
	96 h LC50	Fish	94	mg/L
	21 d NOEC	Fish	5.9	mg/L
	21 d NOEC	Crustacea	0.51	mg/L

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Toluene 108-88-3	72 h EC50: = 12.5 mg/L (Pseudokirchneriella subcapitata) static 96 h EC50: > 433 mg/L (Pseudokirchneriella subcapitata)	96 h LC50: 11.0 - 15.0 mg/L (Lepomis macrochirus) static 96 h LC50: 14.1 - 17.16 mg/L (Oncorhynchus mykiss) static 96 h LC50: 15.22 - 19.05 mg/L (Pimephales promelas) flow-through 96 h LC50: 5.89 - 7.81 mg/L (Oncorhynchus mykiss) flow-through 96 h LC50: 50.87 - 70.34 mg/L (Poecilia reticulata) static 96 h LC50: = 12.6 mg/L (Pimephales promelas) static 96 h LC50: = 28.2 mg/L (Poecilia reticulata) semi-static 96 h LC50: = 5.8 mg/L (Oncorhynchus mykiss) semi-static 96 h LC50: = 54 mg/L (Oryzias latipes) static	48 h EC50: 5.46 - 9.83 mg/L (Daphnia magna) Static 48 h EC50: = 11.5 mg/L (Daphnia magna)
Sodium Borate 1330-43-4	96 h EC50: 2.6 - 21.8 mg/L (Pseudokirchneriella subcapitata) static 96 h EC50: = 158 mg/L (Desmodesmus subspicatus)	96 h LC50: = 340 mg/L (Limanda limanda)	48 h LC50: 1085 - 1402 mg/L (Daphnia magna)
Formaldehyde 50-00-0		96 h LC50: 0.032 - 0.226 mL/L (Oncorhynchus mykiss) flow-through 96 h LC50: 100 - 136 mg/L (Oncorhynchus mykiss) static 96 h LC50: 22.6 - 25.7 mg/L (Pimephales promelas) flow-through 96 h LC50: 23.2 - 29.7 mg/L (Pimephales promelas) static 96 h LC50: = 1510 µg/L (Lepomis macrochirus) static 96 h LC50: = 41 mg/L (Brachydanio rerio) static	48 h EC50: 11.3 - 18 mg/L (Daphnia magna) Static 48 h LC50: = 2 mg/L (Daphnia magna)
Sodium chloride 7647-14-5		96 h LC50: 4747 - 7824 mg/L (Oncorhynchus mykiss) flow-through 96 h LC50: 5560 - 6080 mg/L (Lepomis macrochirus) flow-through 96 h LC50: 6020 - 7070 mg/L (Pimephales promelas) static 96 h LC50: 6420 - 6700 mg/L (Pimephales promelas) static 96 h LC50: = 12946 mg/L (Lepomis macrochirus) static 96 h LC50: = 7050 mg/L (Pimephales promelas)	48 h EC50: 340.7 - 469.2 mg/L (Daphnia magna) Static 48 h EC50: = 1000 mg/L (Daphnia magna)

		semi-static	
Sodium sulfate 7757-82-6		96 h LC50: 13500 - 14500 mg/L (Pimephales promelas) 96 h LC50: 3040 - 4380 mg/L (Lepomis macrochirus) static 96 h LC50: = 13500 mg/L (Lepomis macrochirus) 96 h LC50: > 6800 mg/L (Pimephales promelas) static	48 h EC50: = 2564 mg/L (Daphnia magna) 96 h EC50: = 630 mg/L (Daphnia magna)
Sodium lignosulfonate 8061-51-6		48 h LC50: = 7300 mg/L (Oncorhynchus mykiss)	
Naphthalene* 91-20-3	72 h EC50: = 0.4 mg/L (Skeletonema costatum)	96 h LC50: 0.91 - 2.82 mg/L (Oncorhynchus mykiss) static 96 h LC50: 5.74 - 6.44 mg/L (Pimephales promelas) flow-through 96 h LC50: = 1.6 mg/L (Oncorhynchus mykiss) flow-through 96 h LC50: = 1.99 mg/L (Pimephales promelas) static 96 h LC50: = 31.0265 mg/L (Lepomis macrochirus) static	48 h EC50: 1.09 - 3.4 mg/L (Daphnia magna) Static 48 h EC50: = 1.96 mg/L (Daphnia magna) Flow through 48 h LC50: = 2.16 mg/L (Daphnia magna)

Persistence and degradability	Quinclorac, Sulfentrazone: Persistent. Does not readily hydrolyze.
Bioaccumulation	Quinclorac, Sulfentrazone: The substance does not have a potential for bioconcentration.
Mobility	Quinclorac, Sulfentrazone: Mobile, Has potential to reach ground water.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods	Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in Sections 7 and 8, must be worn while handling materials for waste disposal.
Contaminated containers and packages	Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

DOT This material is not a hazardous material as defined by U.S. Department of Transportation at 49 CFR Parts 100 through 185.

TDG Classification below is only applicable when shipped by vessel and is not applicable when shipped by road or rail only.

UN/ID no	UN3077
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Hazard class	9
Packing Group	III
Marine Pollutant	Sulfentrazone.
Description	UN3077, Environmentally hazardous substance, solid, n.o.s. (sulfentrazone), 9, PGIII, Marine Pollutant

ICAO/IATA

UN/ID no	UN3077
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Hazard class	9
Packing Group	III
Description	UN3077, Environmentally hazardous substance, solid, n.o.s. (sulfentrazone), 9, PGIII, Marine Pollutant

IMDG/IMO

UN/ID no	UN3077
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Hazard class	9
Packing Group	III
EmS No.	F-A, S-F
Marine Pollutant	Sulfentrazone
Description	UN3077, Environmentally hazardous substance, solid, n.o.s. (sulfentrazone), 9, PGIII, Marine Pollutant

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Toluene - 108-88-3	108-88-3	1-5	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Toluene 108-88-3	1000 lb	X	X	X
Formaldehyde 50-00-0	100 lb			X
Naphthalene* 91-20-3	100 lb	X	X	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Toluene 108-88-3	1000 lb 454 kg	
Formaldehyde 50-00-0	100 lb 45.4 kg	100 lb
Naphthalene* 91-20-3	100 lb 45.4 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65
Toluene - 108-88-3	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Kaolin 1332-58-7	X	X	X
Toluene 108-88-3	X	X	X
Crystalline silica, quartz 14808-60-7	X	X	X

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Quinclorac 84087-01-4		X	X		X	X	X	X
Kaolin 1332-58-7	X	X	X		X	X	X	X
Toluene 108-88-3	X	X	X	X	X	X	X	X
Sodium N-methyl-N-oleoyltaurine 137-20-2	X	X	X	X	X	X	X	X
Crystalline silica, quartz 14808-60-7	X	X	X	X	X	X	X	X

CANADA

This Safety Data Sheet is for a pesticide product registered by the Pest Management Regulatory Agency (PMRA), and is therefore also subject to certain requirements under Canadian pesticide laws, including the Pest Control Products Act (PCPA). These requirements differ from the classification criteria and hazard information required by the Hazardous Product Regulations (HPR) and WHMIS 2015 for safety data sheets, and for workplace labels of non-pesticide chemicals. The following information is determined by PMRA.

The approved pest control product label (the label), under the Pest Control Products Act, needs to be followed at all times and in cases where there are any discrepancies between the approved label and an SDS for that product it is the label information that prevails.

16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 0	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 0	Physical hazard 0	Personal Protection X

*Indicates a chronic health hazard.

NFPA/HMIS Ratings Legend

Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date:

2020-05-11

Reason for revision:

SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements)

are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2020 FMC Corporation. All Rights Reserved.
End of Safety Data Sheet