

SAFETY DATA SHEET
Solitaire® Herbicide

SDS # : 6515-A
Revision date: 2020-05-11
Format: NA
Version 1.05



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Solitaire® Herbicide

Other means of identification

Product Code(s) 6515-A

Synonyms

SULFENTRAZONE (FMC 97285):
2',4'-dichloro-5'-(4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl)
methanesulfonanilide (IUPAC name);
N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-
1,2,4-triazol-1-yl]phenyl] methanesulfonamide (CAS name),

, QUINCLORAC: 3,7-dichloroquinoline-8-carboxylic acid; 3,7-dichloro-8-quinolinecarboxylic
acid;

Active Ingredient(s) Sulfentrazone, Quinclorac

Chemical Family Triazolinones

Recommended use of the chemical and restrictions on use

Recommended Use: Herbicide

Restrictions on Use: Use as recommended by the label.

Supplier Address

FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
(215) 299-6000 (General Information)
SDS-Info@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies :
1 800 / 331-3148 (U.S.A. & Canada)
1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|--|------------|
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4 |
| Specific target organ toxicity (repeated exposure) | Category 2 |

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Warning

Hazard Statements

H332 - Harmful if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

Physical Hazards

May form combustible dust concentrations in air



Precautionary Statements - Prevention

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

P314 - Get medical advice/ attention if you feel unwell

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Disposal

P501 - Dispose of contents/container according to label directions

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Toxic to aquatic life.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family Triazolinones.

| Chemical name | CAS-No | Weight % |
|---------------------------------|-------------|----------|
| Quinclorac | 84087-01-4 | 56.25 |
| Sulfentrazone | 122836-35-5 | 18.75 |
| Kaolin | 1332-58-7 | 1-5 |
| Toluene | 108-88-3 | 1-5 |
| Sodium N-methyl-N-oleoyltaurine | 137-20-2 | 1-5 |
| Crystalline silica, quartz | 14808-60-7 | 0.1-1 |

* The exact percentage composition has been withheld as a trade secret.

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

| | |
|---|---|
| Eye Contact | Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. |
| Skin Contact | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice. |
| Inhalation | Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. |
| Ingestion | Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | Symptoms of overexposure include convulsions, decreased locomotion, tearing, increased sensitivity to touch, bloody discharge from the nose and incoordination. |
| Indication of immediate medical attention and special treatment needed, if necessary | Treat symptomatically. |

5. FIRE-FIGHTING MEASURES

| | |
|--|---|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Small Fire | Dry chemical. Carbon dioxide (CO ₂). |
| Large Fire | Water spray. Foam. |
| Unsuitable extinguishing media | Avoid heavy hose streams. |
| Specific Hazards Arising from the Chemical | None known |
| Hazardous Combustion Products | See Section 10. |
| Explosion data | |
| Sensitivity to Mechanical Impact | No information available. |
| Sensitivity to Static Discharge | No information available. |
| Protective equipment and precautions for firefighters | As in any fire, wear self-contained breathing apparatus and full protective gear. Isolate fire area. Evaluate upwind. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|----------------------------------|---|
| Personal Precautions | Isolate and post spill area. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8. |
| Other | For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above. |
| Environmental Precautions | Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains. Keep out of waterways. |
| Methods for Containment | Sweep up and shovel into suitable containers for disposal. |
| Methods for cleaning up | Clean and neutralize spill area, tools and equipment by washing with water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13. |

7. HANDLING AND STORAGE

| | |
|------------------------------|--|
| Handling | Handle in accordance with good industrial hygiene and safety practice. Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal. |
| Storage | Keep away from open flames, hot surfaces and sources of ignition. Keep in a dry, cool and well-ventilated place. Keep out of reach of children and animals. Keep/store only in original container. |
| Incompatible products | None known |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH | Mexico |
|--|------------------------------|---|---|---|
| Kaolin (1332-58-7) | TWA: 2 mg/m ³ | TWA: 15 mg/m ³ TWA: 5 mg/m ³ | TWA: 10 mg/m ³ TWA: 5 mg/m ³ | Mexico: TWA 2 mg/m ³ |
| Toluene (108-88-3) | TWA: 20 ppm | TWA: 200 ppm Ceiling: 300 ppm | IDLH: 500 ppm TWA: 100 ppm TWA: 375 mg/m ³ STEL: 150 ppm STEL: 560 mg/m ³ | Mexico: TWA 20 ppm |
| Crystalline silica, quartz (14808-60-7) | TWA: 0.025 mg/m ³ | TWA: 50 µg/m ³ | IDLH: 50 mg/m ³ TWA: 0.05 mg/m ³ | Mexico: TWA 0.025 mg/m ³ |
| Chemical name | British Columbia | Quebec | Ontario TWAEV | Alberta |
| Kaolin (1332-58-7) | TWA: 2 mg/m ³ | TWA: 5 mg/m ³ | TWA: 2 mg/m ³ respirable | TWA: 2 mg/m ³ |
| Toluene (108-88-3) | TWA: 20 ppm | TWA: 50 ppm TWA: 188 mg/m ³ Skin | TWA: 20 ppm | TWA: 50 ppm TWA: 188 mg/m ³ Skin |
| Crystalline silica, quartz (14808-60-7) | TWA: 0.025 mg/m ³ | TWA: 0.1 mg/m ³ | TWA: 0.10 mg/m ³ respirable | TWA: 0.025 mg/m ³ |

Appropriate engineering controls

| | |
|-----------------------------|--|
| Engineering measures | Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. |
|-----------------------------|--|

Individual protection measures, such as personal protective equipment

| | |
|---------------------------------|---|
| Eye/Face Protection | If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles. |
| Skin and Body Protection | Wear long-sleeved shirt, long pants, socks, and shoes. |
| Hand Protection | Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the outside of gloves with soap and water before reuse. Check regularly for leaks. |
| Respiratory Protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations. |
| Hygiene measures | Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry. |
| General information | If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. |

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

| | |
|-------------------------------------|--------------------------|
| Appearance | Granules |
| Physical State | Solid |
| Color | No information available |
| Odor | No information available |
| Odor threshold | No information available |
| pH | 4.3 |
| Melting point/freezing point | Not applicable |
| Boiling Point/Range | No information available |
| Flash point | Not applicable |
| Evaporation Rate | No information available |
| Flammability (solid, gas) | No information available |
| Flammability Limit in Air | |
| Upper flammability limit: | No information available |
| Lower flammability limit: | No information available |
| Vapor pressure | No information available |
| Vapor density | No information available |
| Relative density | 32 - 35.4 lb/cu ft |
| Specific gravity | No information available |
| Water solubility | No information available |
| Solubility in other solvents | No information available |
| Partition coefficient | No information available |
| Autoignition temperature | No information available |
| Decomposition temperature | No information available |
| Viscosity, kinematic | No information available |
| Viscosity, dynamic | No information available |
| Explosive properties | No information available |
| Oxidizing properties | No information available |
| Molecular weight | No information available |
| Bulk density | No information available |

10. STABILITY AND REACTIVITY

| | |
|---|--|
| Reactivity | None under normal use conditions. |
| Chemical Stability | Stable under recommended storage conditions. |
| Possibility of Hazardous Reactions | None under normal processing. |
| Hazardous polymerization | Hazardous polymerization does not occur. |
| Conditions to avoid | None known |
| Incompatible materials | None known. |
| Hazardous Decomposition Products | Carbon oxides (COx). Nitrogen oxides (NOx). Sulfur oxides. Hydrogen chloride. Hydrogen fluoride. |

11. TOXICOLOGICAL INFORMATION**Product Information**

| | |
|--|---------------------------------|
| LD50 Oral | 3110 mg/kg (rat) |
| LD50 Dermal | > 5000 mg/kg (rat) |
| LC50 Inhalation (dust) | > 2.06 mg/L (rat) 4 hr |
| Serious eye damage/eye irritation | Mildly irritating. |
| Skin corrosion/irritation | Moderately irritating (rabbit). |
| Sensitization | Non-sensitizing |

| Chemical name | LD50 Oral | LD50 Dermal | LC50 Inhalation (vapor) |
|--|----------------------|--------------------------|-------------------------|
| Kaolin (1332-58-7) | > 5000 mg/kg (Rat) | > 5000 mg/kg (Rat) | |
| Toluene (108-88-3) | = 2600 mg/kg (Rat) | = 12000 mg/kg (Rabbit) | = 12.5 mg/L (Rat) 4 h |
| Sodium N-methyl-N-oleoyltaurine (137-20-2) | = 1700 mg/kg (Rat) | | |

Information on toxicological effects

Symptoms Signs of toxicity in laboratory animals given sulfentrazone included clonic convulsions, ataxia, hypersensitivity to touch, chromorhinorrhea, abdominogenital staining, decreased locomotion, lacrimation, nasal discharge, and squinting eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Chronic exposure to silica dust may increase the risk of developing pneumoconiosis or silicosis, chronic diseases affecting the lungs, characterized by labored breathing, cough, reduction of work capacity, reduction of lung capacity, heart enlargement and failure

Mutagenicity Quinclorac: Sulfentrazone: Not genotoxic in laboratory studies.

Carcinogenicity Quinclorac, Sulfentrazone: No evidence of carcinogenicity from animal studies.

Neurological effects Quinclorac: No neurotoxicity observed in animal studies.

Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high dose levels.

Reproductive toxicity Quinclorac: Sulfentrazone: No toxicity to reproduction in animal studies.

Developmental toxicity Quinclorac: Not teratogenic in animal studies.

Sulfentrazone: Fetal weight decreased; delayed skeletal ossification observed at maternally non-toxic doses are reversible effects and a dose-response is established; malformations observed in fetuses at maternally toxic doses and consistent with the mode of action for protoporphyrongen oxidase inhibitors. Developmental toxicity testing and results were generated for sulfentrazone with toluene present as an impurity.

STOT - single exposure Not classified.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure. See listed target organs below.

Target organ effects Liver, kidney, Hematopoietic system

Neurological effects

Quinclorac: No neurotoxicity observed in animal studies.

Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high dose levels.

Aspiration hazard No information available.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|--|-------|---------|-------|------|
| Toluene 108-88-3 | | Group 3 | | |
| Crystalline silica, quartz 14808-60-7 | A2 | Group 1 | Known | X |

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not classifiable as to its carcinogenicity to humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Quinclorac (84087-01-4) | | | | |
|--------------------------------|-----------|-----------|-------|-------|
| Active Ingredient(s) | Duration | Species | Value | Units |
| Quinclorac | 72 h EC50 | Algae | 6.53 | mg/L |
| | 48 h EC50 | Daphnia | 29.8 | mg/L |
| | 96 h LC50 | Fish | >100 | mg/L |
| | 21 d NOEC | Crustacea | 50.4 | mg/L |

| Sulfentrazone (122836-35-5) | | | | |
|------------------------------------|-----------|-----------|-------|-------|
| Active Ingredient(s) | Duration | Species | Value | Units |
| Sulfentrazone | 72 h EC50 | Algae | 32.8 | mg/L |
| | 48 h EC50 | Crustacea | 60.4 | mg/L |
| | 96 h LC50 | Fish | 94 | mg/L |
| | 21 d NOEC | Fish | 5.9 | mg/L |
| | 21 d NOEC | Crustacea | 0.51 | mg/L |

| Chemical name | Toxicity to algae | Toxicity to fish | Toxicity to daphnia and other aquatic invertebrates |
|------------------------------|--|--|---|
| Toluene 108-88-3 | 72 h EC50: = 12.5 mg/L (Pseudokirchneriella subcapitata) static 96 h EC50: > 433 mg/L (Pseudokirchneriella subcapitata) | 96 h LC50: 11.0 - 15.0 mg/L (Lepomis macrochirus) static 96 h LC50: 14.1 - 17.16 mg/L (Oncorhynchus mykiss) static 96 h LC50: 15.22 - 19.05 mg/L (Pimephales promelas) flow-through 96 h LC50: 5.89 - 7.81 mg/L (Oncorhynchus mykiss) flow-through 96 h LC50: 50.87 - 70.34 mg/L (Poecilia reticulata) static 96 h LC50: = 12.6 mg/L (Pimephales promelas) static 96 h LC50: = 28.2 mg/L (Poecilia reticulata) semi-static 96 h LC50: = 5.8 mg/L (Oncorhynchus mykiss) semi-static 96 h LC50: = 54 mg/L (Oryzias latipes) static | 48 h EC50: 5.46 - 9.83 mg/L (Daphnia magna) Static 48 h EC50: = 11.5 mg/L (Daphnia magna) |
| Sodium Borate 1330-43-4 | 96 h EC50: 2.6 - 21.8 mg/L (Pseudokirchneriella subcapitata) static 96 h EC50: = 158 mg/L (Desmodesmus subspicatus) | 96 h LC50: = 340 mg/L (Limanda limanda) | 48 h LC50: 1085 - 1402 mg/L (Daphnia magna) |
| Formaldehyde 50-00-0 | | 96 h LC50: 0.032 - 0.226 mL/L (Oncorhynchus mykiss) flow-through 96 h LC50: 100 - 136 mg/L (Oncorhynchus mykiss) static 96 h LC50: 22.6 - 25.7 mg/L (Pimephales promelas) flow-through 96 h LC50: 23.2 - 29.7 mg/L (Pimephales promelas) static 96 h LC50: = 1510 µg/L (Lepomis macrochirus) static 96 h LC50: = 41 mg/L (Brachydanio rerio) static | 48 h EC50: 11.3 - 18 mg/L (Daphnia magna) Static 48 h LC50: = 2 mg/L (Daphnia magna) |
| Sodium chloride 7647-14-5 | | 96 h LC50: 4747 - 7824 mg/L (Oncorhynchus mykiss) flow-through 96 h LC50: 5560 - 6080 mg/L (Lepomis macrochirus) flow-through 96 h LC50: 6020 - 7070 mg/L (Pimephales promelas) static 96 h LC50: 6420 - 6700 mg/L (Pimephales promelas) static 96 h LC50: = 12946 mg/L (Lepomis macrochirus) static 96 h LC50: = 7050 mg/L (Pimephales promelas) | 48 h EC50: 340.7 - 469.2 mg/L (Daphnia magna) Static 48 h EC50: = 1000 mg/L (Daphnia magna) |

| | | semi-static | |
|------------------------------------|--|---|--|
| Sodium sulfate 7757-82-6 | | 96 h LC50: 13500 - 14500 mg/L (Pimephales promelas) 96 h LC50: 3040 - 4380 mg/L (Lepomis macrochirus) static 96 h LC50: = 13500 mg/L (Lepomis macrochirus) 96 h LC50: > 6800 mg/L (Pimephales promelas) static | 48 h EC50: = 2564 mg/L (Daphnia magna) 96 h EC50: = 630 mg/L (Daphnia magna) |
| Sodium lignosulfonate 8061-51-6 | | 48 h LC50: = 7300 mg/L (Oncorhynchus mykiss) | |
| Naphthalene* 91-20-3 | 72 h EC50: = 0.4 mg/L (Skeletonema costatum) | 96 h LC50: 0.91 - 2.82 mg/L (Oncorhynchus mykiss) static 96 h LC50: 5.74 - 6.44 mg/L (Pimephales promelas) flow-through 96 h LC50: = 1.6 mg/L (Oncorhynchus mykiss) flow-through 96 h LC50: = 1.99 mg/L (Pimephales promelas) static 96 h LC50: = 31.0265 mg/L (Lepomis macrochirus) static | 48 h EC50: 1.09 - 3.4 mg/L (Daphnia magna) Static 48 h EC50: = 1.96 mg/L (Daphnia magna) Flow through 48 h LC50: = 2.16 mg/L (Daphnia magna) |

| | |
|--------------------------------------|--|
| Persistence and degradability | Quinclorac, Sulfentrazone: Persistent. Does not readily hydrolyze. |
| Bioaccumulation | Quinclorac, Sulfentrazone: The substance does not have a potential for bioconcentration. |
| Mobility | Quinclorac, Sulfentrazone: Mobile, Has potential to reach ground water. |

13. DISPOSAL CONSIDERATIONS

| | |
|---|--|
| Waste disposal methods | Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in Sections 7 and 8, must be worn while handling materials for waste disposal. |
| Contaminated containers and packages | Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions. |

14. TRANSPORT INFORMATION

DOT This material is not a hazardous material as defined by U.S. Department of Transportation at 49 CFR Parts 100 through 185.

TDG Classification below is only applicable when shipped by vessel and is not applicable when shipped by road or rail only.

| | |
|-----------------------------|--|
| UN/ID no | UN3077 |
| Proper Shipping Name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |
| Hazard class | 9 |
| Packing Group | III |
| Marine Pollutant | Sulfentrazone. |
| Description | UN3077, Environmentally hazardous substance, solid, n.o.s. (sulfentrazone), 9, PGIII, Marine Pollutant |

ICAO/IATA

| | |
|-----------------------------|--|
| UN/ID no | UN3077 |
| Proper Shipping Name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |
| Hazard class | 9 |
| Packing Group | III |
| Description | UN3077, Environmentally hazardous substance, solid, n.o.s. (sulfentrazone), 9, PGIII, Marine Pollutant |

IMDG/IMO

| | |
|-----------------------------|--|
| UN/ID no | UN3077 |
| Proper Shipping Name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |

| | |
|-------------------------|--|
| Hazard class | 9 |
| Packing Group | III |
| EmS No. | F-A, S-F |
| Marine Pollutant | Sulfentrazone |
| Description | UN3077, Environmentally hazardous substance, solid, n.o.s. (sulfentrazone), 9, PGIII, Marine Pollutant |

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical name | CAS-No | Weight % | SARA 313 - Threshold Values % |
|--------------------|----------|----------|-------------------------------|
| Toluene - 108-88-3 | 108-88-3 | 1-5 | 1.0 |

SARA 311/312 Hazard Categories

| | |
|--|-----|
| Acute health hazard | Yes |
| Chronic health hazard | Yes |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Toluene 108-88-3 | 1000 lb | X | X | X |
| Formaldehyde 50-00-0 | 100 lb | | | X |
| Naphthalene* 91-20-3 | 100 lb | X | X | X |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs |
|-------------------------|--------------------------|------------------------------------|
| Toluene 108-88-3 | 1000 lb 454 kg | |
| Formaldehyde 50-00-0 | 100 lb 45.4 kg | 100 lb |
| Naphthalene* 91-20-3 | 100 lb 45.4 kg | |

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical name | California Prop. 65 |
|--------------------|---------------------|
| Toluene - 108-88-3 | Developmental |

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|--|------------|---------------|--------------|
| Kaolin 1332-58-7 | X | X | X |
| Toluene 108-88-3 | X | X | X |
| Crystalline silica, quartz 14808-60-7 | X | X | X |

International Inventories

| Chemical name | TSCA (United States) | DSL (Canada) | EINECS/ELINCS (Europe) | ENCS (Japan) | China (IECSC) | KECL (Korea) | PICCS (Philippines) | AICS (Australia) |
|--|-------------------------|-----------------|---------------------------|-----------------|------------------|--------------|------------------------|---------------------|
| Quinclorac 84087-01-4 | | X | X | | X | X | X | X |
| Kaolin 1332-58-7 | X | X | X | | X | X | X | X |
| Toluene 108-88-3 | X | X | X | X | X | X | X | X |
| Sodium N-methyl-N-oleoyltaurine 137-20-2 | X | X | X | X | X | X | X | X |
| Crystalline silica, quartz 14808-60-7 | X | X | X | X | X | X | X | X |

CANADA

This Safety Data Sheet is for a pesticide product registered by the Pest Management Regulatory Agency (PMRA), and is therefore also subject to certain requirements under Canadian pesticide laws, including the Pest Control Products Act (PCPA). These requirements differ from the classification criteria and hazard information required by the Hazardous Product Regulations (HPR) and WHMIS 2015 for safety data sheets, and for workplace labels of non-pesticide chemicals. The following information is determined by PMRA.

The approved pest control product label (the label), under the Pest Control Products Act, needs to be followed at all times and in cases where there are any discrepancies between the approved label and an SDS for that product it is the label information that prevails.

16. OTHER INFORMATION

| | | | | |
|-------------|--------------------------|-----------------------|--------------------------|------------------------------|
| NFPA | Health Hazards 2 | Flammability 0 | Instability 0 | Special Hazards - |
| HMIS | Health Hazards 2* | Flammability 0 | Physical hazard 0 | Personal Protection X |

*Indicates a chronic health hazard.

NFPA/HMIS Ratings Legend

Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2020-05-11
Reason for revision: SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements)

are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2020 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet