

SAFETY DATA SHEET
Mustang Maxx Insecticide

SDS # : 6540-A
Revision date: 2019-03-12
Format: NA
Version 1.05



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Mustang Maxx Insecticide

Other means of identification

Product Code(s) 6540-A

Legacy Product Code FO000849

Synonyms ZETA-CYPERMETHRIN: (S)-cyano(3-phenoxyphenyl)methyl 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate (CAS name); mix of (S)- α -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (IUPAC name)

Active Ingredient(s) Zeta-cypermethrin

Chemical Family Pyrethroid Pesticide

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

Restrictions on Use: Use as recommended by the label.

Supplier Address

FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
(215) 299-6000 (General Information)
msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)
1 202 / 483-7616 (CHEMTREC - Alternate International)

Medical Emergencies:
1 800 / 331-3148 (U.S.A. & Canada)
1 651 / 632-6793 (All Other Countries - Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

Mustang Maxx Insecticide

SDS # : 6540-A
Revision date: 2019-03-12
Version 1.05

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1B
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Warning

Hazard Statements

H302 - Harmful if swallowed
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H332 - Harmful if inhaled
H351 - Suspected of causing cancer
H373 - May cause damage to organs through prolonged or repeated exposure
H335 - May cause respiratory irritation
H336 - May cause drowsiness or dizziness



Precautionary Statements - Prevention

P202 - Do not handle until all safety precautions have been read and understood
P264 - Wash face, hands and any exposed skin thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P271 - Use only outdoors or in a well-ventilated area
P272 - Contaminated work clothing should not be allowed out of the workplace
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P280 - Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

P308 + P313 - If exposed or concerned: Get medical advice/attention
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical advice/ attention
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P362 - Take off contaminated clothing and wash before reuse
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell
P330 - Rinse mouth

Precautionary Statements - Storage

P405 - Store locked up
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical Family** Pyrethroid Pesticide.

Chemical name	CAS-No	Weight %
Naphtha (petroleum), heavy aromatic	64742-94-5	50-60
Acetophenone	98-86-2	10-20
2-Methylnaphthalene	91-57-6	10-15
1-Methylnaphthalene	90-12-0	5-10
Naphthalene	91-20-3	5-10
Zeta-cypermethrin (F2700)	52315-07-8	9.15

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	Central nervous system effects.
Indication of immediate medical attention and special treatment needed, if necessary	Treat symptomatically. This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided. This product contains aromatic hydrocarbons that can produce a severe pneumonitis if aspirated during vomiting.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Foam, Carbon dioxide (CO ₂), Dry chemical, Soft stream or water fog only if necessary.
Specific Hazards Arising from the Chemical	None known
Hazardous Combustion Products	Carbon oxides (CO _x), Hydrogen cyanide, Hydrogen chloride, Chlorine.

Explosion data**Sensitivity to Mechanical Impact** No information available.**Sensitivity to Static Discharge** No information available.

Protective equipment and precautions for firefighters

Isolate fire area. Evaluate upwind. As in any fire, wear self-contained breathing apparatus and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.

Other

For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

Environmental Precautions

Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains. Keep out of waterways.

Methods for Containment

Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up

Clean and neutralize spill area, tools and equipment by washing with water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling

Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage

Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container.

Incompatible products

None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Acetophenone (98-86-2)	TWA: 10 ppm	-	-	-
2-Methylnaphthalene (91-57-6)	TWA: 0.5 ppm	-	-	-
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm	-	-	-
Naphthalene (91-20-3)	TWA: 10 ppm	TWA: 10 ppm TWA: 50 mg/m ³	IDLH: 250 ppm TWA: 10 ppm TWA: 50 mg/m ³ STEL: 15 ppm STEL: 75 mg/m ³	Mexico: TWA 10 ppm Mexico: TWA 50 mg/m ³ Mexico: STEL 15 ppm Mexico: STEL 75 mg/m ³
Chemical name	British Columbia	Quebec	Ontario TWA/EV	Alberta
Acetophenone (98-86-2)	TWA: 10 ppm	TWA: 10 ppm TWA: 49 mg/m ³	TWA: 10 ppm	TWA: 10 ppm TWA: 49 mg/m ³
2-Methylnaphthalene (91-57-6)	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm Skin	-
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm Skin	-

Mustang Maxx Insecticide

SDS # : 6540-A
Revision date: 2019-03-12
Version 1.05

Naphthalene (91-20-3)	TWA: 10 ppm Skin	TWA: 10 ppm TWA: 52 mg/m ³ STEL: 15 ppm STEL: 79 mg/m ³	TWA: 10 ppm Skin	TWA: 10 ppm TWA: 52 mg/m ³ STEL: 15 ppm STEL: 79 mg/m ³ Skin
--------------------------	---------------------	--	-------------------------	--

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection For dust, splash, mist or spray exposure, wear chemical protective goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the outside of gloves with soap and water before reuse. Check regularly for leaks.

Respiratory Protection For dust, splash, mist or spray exposures wear a filtering facepiece respirator (N95, R95, or P95) which is approved for pesticides (U.S. NIOSH/MSHA, EU CEN or comparable certification organization).

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Amber
Physical State	Liquid
Color	Amber
Odor	Aromatic Solvent
Odor threshold	No information available
pH	4.6 @ 22.3°C
Melting point/freezing point	Not applicable
Boiling Point/Range	No information available
Flash point	> 110 °C / > 230 °F
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Relative density	8.72 lb/gal @ 25°C
Specific gravity	1.05
Water solubility	No information available
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	40.7 mm ² /s @ 22.4°C
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Molecular weight	No information available

Bulk density No information available

10. STABILITY AND REACTIVITY

Reactivity None under normal use conditions

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Excessive heat.

Incompatible materials None known.

Hazardous Decomposition Products Carbon oxides (COx), Hydrogen cyanide, Hydrogen chloride, Chlorine.

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral 310 mg/kg (rat)

LD50 Dermal > 5,000 mg/kg (rabbit)

LC50 Inhalation > 2.03 mg/L (4-hr) (rat)

Serious eye damage/eye irritation Severely irritating (rabbit).

Skin corrosion/irritation Moderately irritating.

Sensitization Sensitizer

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Naphtha (petroleum), heavy aromatic (64742-94-5)	300-2000 mg/kg		>5.2 mg/L
Acetophenone (98-86-2)	= 815 mg/kg (Rat) = 900 mg/kg (Rat)	= 1760 mg/kg (Rabbit)	> 2.130 mg/L (Rat) 8 h
2-Methylnaphthalene (91-57-6)	= 1630 mg/kg (Rat)		
1-Methylnaphthalene (90-12-0)	= 1840 mg/kg (Rat)		
Naphthalene (91-20-3)	= 1110 mg/kg (Rat) = 490 mg/kg (Rat)	= 1120 mg/kg (Rabbit) > 20 g/kg (Rabbit)	> 340 mg/m ³ (Rat) 1 h

Information on toxicological effects

Symptoms Large doses of zeta-cypermethrin, ingested by laboratory animals, may produce signs of toxicity including tremors, incoordination, convulsions, staggered gait, and oral discharge.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Zeta-cypermethrin: Long-term exposure caused neurotoxicity (body tremors, decreased motor activity), decreased body weight and increased liver weight.

Mutagenicity Zeta-cypermethrin: Not genotoxic in laboratory studies

Carcinogenicity Cypermethrin caused an increase in benign lung tumors in mice, but not in rats. EPA has classified cypermethrin as a possible human carcinogen based on this information, but does not regulate based on its low cancer risk. There was no evidence of carcinogenic activity of naphthalene in male mice, but there was some evidence of carcinogenic activity in female mice and clear evidence of carcinogenic activity in male and female rats in 2-year inhalation studies conducted by the National Toxicology Program (NTP).

Neurological effects Zeta-cypermethrin: Causes neurotoxicity (tremors and decreased motor activity) following acute, subchronic or chronic exposure.

Reproductive toxicity Zeta-cypermethrin: No toxicity to reproduction in animal studies.

Mustang Maxx Insecticide

SDS #: 6540-A
Revision date: 2019-03-12
Version 1.05

Developmental toxicity	Zeta-cypermethrin: Not teratogenic in animal studies.
STOT - single exposure	May cause respiratory irritation. See listed target organs below.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure. See listed target organs below.
Target organ effects	Zeta-cypermethrin: Central Nervous System (CNS),
Neurological effects	Zeta-cypermethrin: Causes neurotoxicity (tremors and decreased motor activity) following acute, subchronic or chronic exposure.
Aspiration hazard	This product presents an aspiration pneumonia hazard.

Chemical name	ACGIH	IARC	NTP	OSHA
Naphthalene 91-20-3	A3	Group 2B	Reasonably Anticipated	X

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

Zeta-cypermethrin (F2700) (52315-07-8)				
Active Ingredient(s)	Duration	Species	Value	Units
Zeta-cypermethrin	48 h EC50	Crustacea	0.14	µg/L
	96 h LC50	Fish	0.69	µg/L
	72 h EC50	Algae	>1	mg/L
	21 d NOEC	Crustacea	0.01	µg/L
	21 d NOEC	Fish	0.015	µg/L

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Naphtha (petroleum), heavy aromatic 64742-94-5	72 h EC50: = 2.5 mg/L (Skeletonema costatum)	96 h LC50: = 19 mg/L (Pimephales promelas) static 96 h LC50: = 2.34 mg/L (Oncorhynchus mykiss) 96 h LC50: = 1740 mg/L (Lepomis macrochirus) static 96 h LC50: = 45 mg/L (Pimephales promelas) flow-through 96 h LC50: = 41 mg/L (Pimephales promelas)	48 h EC50: = 0.95 mg/L (Daphnia magna)
Naphthalene 91-20-3	72 h EC50: = 0.4 mg/L (Skeletonema costatum)	96 h LC50: 5.74 - 6.44 mg/L (Pimephales promelas) flow-through 96 h LC50: = 1.6 mg/L (Oncorhynchus mykiss) flow-through 96 h LC50: 0.91 - 2.82 mg/L (Oncorhynchus mykiss) static 96 h LC50: = 1.99 mg/L (Pimephales promelas) static 96 h LC50: = 31.0265 mg/L (Lepomis macrochirus) static	48 h LC50: = 2.16 mg/L (Daphnia magna) 48 h EC50: = 1.96 mg/L (Daphnia magna) Flow through 48 h EC50: 1.09 - 3.4 mg/L (Daphnia magna) Static
Acetophenone 98-86-2		96 h LC50: = 162 mg/L (Pimephales promelas) flow-through 96 h LC50: = 155 mg/L (Pimephales promelas) static	

Persistence and degradability Zeta-cypermethrin: Non-persistent. Readily hydrolyzed. Not readily biodegradable.

Bioaccumulation Zeta-cypermethrin: The substance does not have a potential for bioconcentration.

Mobility Zeta-cypermethrin: Immobile, Not expected to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated Packaging Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

DOT Not regulated for transportation if shipped in Non Bulk packaging. The classification below pertains to the shipment in Bulk packaging.

UN/ID no UN3082
Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.
Hazard class 9
Packing Group III
Marine Pollutant Zeta-cypermethrin.
Description UN3082 Environmentally hazardous substance, liquid, n.o.s., 9, PG III, Marine Pollutant

TDG
UN/ID no UN3082
Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.
Hazard class 9
Packing Group III
Marine Pollutant Zeta-cypermethrin. The "Marine Pollutant" marking is only applicable when shipped by vessel, and is not applicable when shipped only by road or rail in Canada.
Description UN3082 Environmentally hazardous substance, liquid, n.o.s. (zeta-cypermethrin (F2700)), 9, PG III, Marine Pollutant

ICAO/IATA

UN/ID no UN3082
Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.
Hazard class 9
Packing Group III
Description UN3082 Environmentally hazardous substance, liquid, n.o.s. (zeta-cypermethrin (F2700)), 9, PG III, Marine Pollutant

IMDG/IMO

UN/ID no UN3082
Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.
Hazard class 9
Packing Group III
EmS No. F-A, S-F
Marine Pollutant Zeta-cypermethrin
Description UN3082 Environmentally hazardous substance, liquid, n.o.s. (zeta-cypermethrin (F2700)), 9, PG III, Marine Pollutant

15. REGULATORY INFORMATION

U.S. Federal Regulations

Mustang Maxx Insecticide

SDS # : 6540-A
Revision date: 2019-03-12
Version 1.05

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Acetophenone - 98-86-2	98-86-2	10-20	1.0
Naphthalene - 91-20-3	91-20-3	5-10	0.1

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Acetic Acid 64-19-7	5000 lb			X
Naphthalene 91-20-3	100 lb	X	X	X
Naphthalene 91-20-3	100 lb	X	X	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Acetic Acid 64-19-7	5000 lb 2270 kg	
Naphthalene 91-20-3	100 lb 45.4 kg	
Naphthalene 91-20-3	100 lb 45.4 kg	
Acetophenone 98-86-2	5000 lb 2270 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING

May be fatal if swallowed. Causes substantial but temporary eye injury.

This pesticide is extremely toxic to fish, aquatic invertebrates, oysters and shrimp.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65
Naphthalene - 91-20-3	Carcinogen

U.S. State Right-to-Know Regulations

Mustang Maxx Insecticide

SDS # : 6540-A
Revision date: 2019-03-12
Version 1.05

Chemical name	New Jersey	Massachusetts	Pennsylvania
Acetophenone 98-86-2	X	X	X
2-Methylnaphthalene 91-57-6	X		
1-Methylnaphthalene 90-12-0	X	X	X
Naphthalene 91-20-3	X	X	X
Zeta-cypermethrin (F2700) 52315-07-8		X	

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Naphtha (petroleum), heavy aromatic 64742-94-5	X	X	X		X	X	X	X
Acetophenone 98-86-2	X	X	X	X	X	X	X	X
2-Methylnaphthalene 91-57-6	X	X	X	X	X		X	X
1-Methylnaphthalene 90-12-0	X	X	X	X	X		X	X
Naphthalene 91-20-3	X	X	X	X	X	X	X	X
Zeta-cypermethrin (F2700) 52315-07-8			X		X	X	X	X

Mexico - Grade

Moderate risk, Grade 2

Chemical name	Carcinogen Status	Mexico
Naphthalene		Mexico: TWA 10 ppm Mexico: TWA 50 mg/m ³ Mexico: STEL 15 ppm Mexico: STEL 75 mg/m ³

CANADA

WHMIS Statement

This product has been classified in accordance with the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

WHMIS Hazard Class

D2A - Very toxic materials
D2B - Toxic materials



16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 1	Physical hazard 0	Personal Protection X

*Indicates a chronic health hazard.

Mustang Maxx Insecticide

SDS # : 6540-A
Revision date: 2019-03-12
Version 1.05

NFPA/HMIS Ratings Legend

Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2019-03-12
Reason for revision: SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2019 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet