# **SAFETY DATA SHEET**

**Pyrethrin Fogger** 

SDS #: 6597-A

**Revision date: 2021-02-16** 

Format: NA Version 1.05



### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name Pyrethrin Fogger

Formula code 50000777

Other means of identification

Product Code(s) 6597-A

Synonyms (Z)-(S)-2-methyl-4-oxo-3-(penta-2,4-dienyl)cyclopent-2-enyl

(1R,3R)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate, 5-[2-(2-butoxyethoxy)ethoxymethyl]-6-propyl-1,3-benzodioxole; 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-1,3-benzodioxole, N-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3-dicarboximide;

2-(2-ethylhexyl)-3a,4,7,7a-tetrahydro-4,7-methano-1H-isoindole-1,3(2H)-dione

Active Ingredient(s) Pyrethrins, Piperonyl Butoxide, n-Octyl bicycloheptene dicarboximide

Chemical Family Pyrethrins

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

**Restrictions on Use:** Use as recommended by the label.

Supplier Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

SDS-Info@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies:

1 800 / 331-3148 (U.S.A. & Canada)

1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call: 1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

# 2. HAZARDS IDENTIFICATION

Classification

**OSHA Regulatory Status** 

Version 1.05

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin sensitization	Category 1
Flammable Aerosols	Category 1

### GHS Label elements, including precautionary statements

#### **EMERGENCY OVERVIEW**

#### Danger

#### **Hazard Statements**

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled

#### Physical Hazards

H222 - Extremely flammable aerosol

H229 - Pressurized container: May burst if heated



#### **Precautionary Statements - Prevention**

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking

P211 - Do not spray on an open flame or other ignition source

P251 - Do not pierce or burn, even after use

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

## **Precautionary Statements - Storage**

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F

#### **Precautionary Statements - Disposal**

P501 - Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

#### Other Information

No information available.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Chemical Family**

Pyrethrins.

Chemical name	CAS-No	Weight %
n-Octyl bicycloheptene dicarboximide	113-48-4	1.0
Piperonyl butoxide	51-03-6	1.0
Pyrethrins	8003-34-7	0.5

Version 1.05

Propane	74-98-6	10-20
Butane	106-97-5	5-10
Petroleum distillates, hydrotreated light	64742-47-8	5-10
Isobutane	75-28-5	5-10

Synonyms are provided in Section 1.

4	FI	RST	Δ	חו	M	IF.	48	UI:	?FS

**Eye Contact** Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

**Skin Contact** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for

further treatment advice.

Immediately call a poison control center or doctor. Do not induce vomiting unless told to do

so by a poison control center or doctor. Do not give any liquid to the person. Do not induce

vomiting or give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

None known.

Indication of immediate medical attention and special treatment

needed, if necessary

Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Foam. Carbon dioxide (CO2). Dry chemical. Water spray.

**Specific Hazards Arising from the** 

Chemical

Contents under pressure.

**Explosion data** 

Sensitivity to Mechanical Impact Sensitivity to Static Discharge No information available. No information available.

Protective equipment and precautions for firefighters

In the event of fire, wear self contained breathing apparatus. Isolate fire area. Evaluate upwind.

# 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable

protective clothing, gloves and eye/face protection. For personal protection see section 8. If ventilation is not possible wear full protection suit and chemical protective equipment.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

**Environmental Precautions** See Section 12 for additional Ecological Information.

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Transfer damaged cartridges or cans to containers for later disposal. Clean and neutralize

spill area, tools and equipment by washing with water and soap. Waste must be classified

Version 1.05

and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13. Rinsate may be disposed at a waste water treatment plant.

# 7. HANDLING AND STORAGE

**Handling** Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 130°F (56°C). Do not open by force or throw into fire even after use. Do not spray on

flames or red-hot objects.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Keep/store only in

original container.

Incompatible products Strong oxidizing agents. Bases. Powdered earth metals.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Pyrethrins (8003-34-7)	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 5000 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	Mexico: TWA 5 mg/m <sup>3</sup>
Propane (74-98-6)	:	TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>	Mexico: TWA 1000 ppm
Isobutane (75-28-5)	STEL 1000 ppm	-	TWA: 800 ppm TWA: 1900 mg/m <sup>3</sup>	Mexico: TWA 1000 ppm
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Pyrethrins (8003-34-7)	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Propane (74-98-6)	-	TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>	TWA:	TWA: 1000 ppm
Petroleum distillates, hydrotreated light (64742-47-8)	TWA: 200 mg/m³ Skin	-	-	-
Isobutane (75-28-5)	STEL: 1000 ppm	-	STEL: 1000 ppm	-

# **Appropriate engineering controls**

**Engineering measures** Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

## Individual protection measures, such as personal protective equipment

Eye/Face Protection If there is a potential for exposure to particles which could cause eye discomfort, wear

chemical goggles.

**Skin and Body Protection** Wear suitable protective clothing. Protective shoes or boots. Minimize skin contamination

by following good industrial hygiene practices.

Hand Protection Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the

outside of gloves with soap and water before reuse. Check regularly for leaks.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

Version 1.05

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

**General information** If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Appearance No information available

Physical State Aerosol

**Color** No information available

Odor Slight Pyrethrins

Odor threshold No information available

**pH** 7.0

Melting point/freezing point Not applicable

Boiling Point/Range
Flash point
Evaporation Rate
Flammability (solid, gas)

No information available
2.8-3.3 °C / 37-38 °F
No information available
No information available

Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information availableVapor pressureNo information availableVapor densityNo information available

Relative density 8 lb/gal

Specific gravity No information available

Water solubility Soluble in water

No information available Solubility in other solvents Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available No information available Viscosity, kinematic Viscosity, dynamic No information available **Explosive properties** No information available No information available **Oxidizing properties** No information available Molecular weight **Bulk density** No information available

### 10. STABILITY AND REACTIVITY

Reactivity Not applicable

**Chemical Stability** Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

**Hazardous polymerization** Hazardous polymerization does not occur.

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition

Incompatible materials Strong oxidizing agents. Bases. Powdered earth metals.

Hazardous Decomposition Products Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

# 11. TOXICOLOGICAL INFORMATION

Product Information

## **Pyrethrin Fogger**

SDS #: 6597-A Revision date: 2021-02-16

**Version** 1.05

 LD50 Oral
 > 5000 mg/kg

 LD50 Dermal
 > 5000 mg/kg

 LC50 Inhalation (dust)
 > 2.11 mg/L 4 hr

Serious eye damage/eye irritation Skin corrosion/irritation Slightly or non-irritating (rabbit). Slightly or non-irritating (rabbit).

Sensitization Sensitizer

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation (vapor)
n-Octyl bicycloheptene dicarboximide (113-48-4)	= 2800 mg/kg(Rat)	= 470 mg/kg (Rabbit) = 470 mg/kg (Rat)	
Piperonyl butoxide (51-03-6)	= 4570 mg/kg (Rat) = 6150 mg/kg (Rat)	= 1880 mg/kg (Rabbit)> 7950 mg/kg (Rat)	> 5.9 mg/L (Rat)4 h
Pyrethrins (8003-34-7)	= 200 mg/kg ( Rat )	= 1350 mg/kg (Rat) = 2060 mg/kg (Rabbit) = 300 mg/kg (Rabbit)	= 3.4 mg/L (Rat)4 h
Propane (74-98-6)			> 800000 ppm (Rat) 15 min
Petroleum distillates, hydrotreated light (64742-47-8)	> 5000 mg/kg(Rat)	> 2000 mg/kg(Rabbit)	> 5.2 mg/L (Rat)4 h
Isobutane (75-28-5)			= 658 mg/L (Rat)4 h

#### Information on toxicological effects

**Symptoms** 

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Mutagenicity Piperonyl butoxide ether may affect mammalian liver microsomal detoxification enzymes.

n-Octyl bicycloheptene dicarboximide was negative in a chromosome aberration assay,. Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH)

Carcinogenicity Not recognized as carcino Reproductive toxicity No information available.

STOT - single exposure
STOT - repeated exposure
Not classified.
Not classified.

Target organ effects Mice fed 0.3 or 0.9% piperonyl butoxide in the diet for 20 days had increased liver weight

and other signs of liver toxicity. Male rats given up to 2.4% of piperonyl butoxide in the diet for up to 12 weeks had clinical and histologic signs of liver damage; the highest dose group

showed preneoplastic changes, including enlargement of hepatocyte nuclei and

multinucleated cells. Kidney damage was also seen.

Aspiration hazard No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Piperonyl butoxide 51-03-6		Group 3		
Pyrethrins 8003-34-7		Group 2A		

#### Legend:

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

Group 3 - Not classifiable as to its carcinogenicity to humans

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Piperonyl butoxide (51-03-6)				
Active Ingredient(s)	Duration	Species	Value	Units

**SDS #**: 6597-A

Revision date: 2021-02-16 Version 1.05

Piperonyl Butoxide	LC50	Fish	3.94	ppm
	LD50	Bee	25	μg/bee
	LD50	Bobwhite quail	>2250	mg/kg
	LD50	Mallard duck	>5620	ppm

Chemical name	Toxicity to algae Toxicity to fish		Toxicity to daphnia and other aquatic invertebrates	
Piperonyl butoxide		96 h LC50: = 7.07 mg/L		
51-03-6		(Oncorhynchus mykiss) semi-static		
Sodium Benzoate		96 h LC50: 420 - 558 mg/L	48 h EC50: < 650 mg/L (Daphnia	
532-32-1		(Pimephales promelas) flow-through		
		96 h LC50: > 100 mg/L (Pimephales		
		promelas) static		
Petroleum distillates, hydrotreated		96 h LC50: = 2.2 mg/L (Lepomis	96 h LC50: = 4720 mg/L	
light		macrochirus) static 96 h LC50: = 2.4	(Den-dronereides heteropoda)	
64742-47-8		mg/L (Oncorhynchus mykiss) static		
		96 h LC50: = 45 mg/L (Pimephales		
		promelas) flow-through		
Pyrethrins		96 h LC50: 0.003 - 0.0046 mg/L		
8003-34-7		(Lepomis macrochirus) flow-through		
		96 h LC50: 0.0031 - 0.0038 mg/L		
		(Oncorhynchus mykiss)		
		flow-through 96 h LC50: 0.02 -		
		0.03 mg/L (Oncorhynchus mykiss)		
		static 96 h LC50: 0.0322 - 0.0472		
		mg/L (Lepomis macrochirus) static		
		96 h LC50: 0.0425 - 0.121 mg/L		
	(Pimephales promelas) flow-thro			
		96 h LC50: 0.224 - 0.458 mg/L		
		(Pimephales promelas) static 96 h		
		LC50: = 0.054 mg/L (Oncorhynchus		
		mykiss) 96 h LC50: = 0.074 mg/L		
		(Lepomis macrochirus)		

Persistence and degradability

Bioaccumulation

No information available.

Mobility

No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in

Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated containers and

packages

Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

# 14. TRANSPORT INFORMATION

**DOT** Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation

arrows.

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard class 2.

**Description** UN1950, Aerosols, flammable, 2.1, Limited Quantity

TDG Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation

arrows.

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

## **Pyrethrin Fogger**

SDS #: 6597-A Revision date: 2021-02-16

Version 1.05

Hazard class 2.1

**Description** UN1950, Aerosols, flammable, 2.1, Limited Quantity

ICAO/IATA Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation

arrows.

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard class 2.

**Description** UN1950, Aerosols, flammable, 2.1, Limited Quantity

IMDG/IMO Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation

arrows.

UN/ID no UN1950
Proper Shipping Name Aerosols
Hazard class 2.1
EmS No. F-D, S-U

**Description** UN1950, Aerosols, 2.1, Limited Quantity

### 15. REGULATORY INFORMATION

#### U.S. Federal Regulations

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Piperonyl butoxide - 51-03-6	51-03-6	1.0	1.0

#### SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic health hazard Yes
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

# **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

ana 10 01 11 122. 12).				
Chemical name	CWA - Reportable	CWA - Toxic Pollutants		CWA - Hazardous
	Quantities		Pollutants	Substances
Pyrethrins	1 lb			
8003-34-7				

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Pyrethrins	1 lb	
8003-34-7	0.454 ka	

#### **FIFRA** Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Version 1.05

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

# US State Regulations

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Piperonyl butoxide	X		
51-03-6			
Pyrethrins	X	X	X
8003-34-7			
Propane	X	X	X
74-98-6			
Isobutane	X	X	X
75-28-5			

# **International Inventories**

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
n-Octyl bicycloheptene dicarboximide 113-48-4		X	X	Х	X		Х	X
Piperonyl butoxide 51-03-6	Х	Х	Х	Х	Х	X	Х	Х
Pyrethrins 8003-34-7		Х	X		Х	X	Х	X
Propane 74-98-6	Х	Х	Х	Х	Х	Х	Х	Х
Petroleum distillates, hydrotreated light 64742-47-8	Х	Х	Х		Х	Х	Х	Х
Isobutane 75-28-5	Х	Х	Х	Х	Х	Х	Х	Х

# CANADA

Not applicable

NFPA	Health Hazards 2	Flammability 4	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 4	Physical hazard 0	Personal Protection X

<sup>\*</sup>Indicates a chronic health hazard.

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

**Revision date:** 2021-02-16

Reason for revision: SDS sections updated.

### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements)

Version 1.05

are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

**FMC** Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet